

Drug-Free Schools Annual Disclosure

It is the policy of ATA College to comply with the Drug-Free Schools and Communities Act Amendments of 1989 and the Drug-Free Workplace Act of 1988. Accordingly, the following information regarding the use of illegal drugs and alcohol is provided annually to each student and employee of ATA.

Standards of Conduct

The unlawful use, manufacture, distribution, dispensation, or possession of alcohol, illegal drugs, or any controlled substance on school premises or while involved in school-related activities off campus is strictly prohibited and subject to disciplinary sanctions noted below.

Disciplinary Sanctions

Students who violate the school's prohibitions against drugs and alcohol are subject to disciplinary action up to and including dismissal from the school. For more information on the Student Code of Conduct and the disciplinary process students should consult the school catalog.

Loss of Title IV Eligibility

A student is ineligible to receive Title IV, HEA program funds if the student has been convicted of an offense involving the possession or sale of illegal drugs for the period described in the chart below:

Number of Offenses	Possession of Illegal Drugs	Sale of Illegal Drugs
1 st Offense	1 year from the date of conviction	2 years from the date of conviction
2 nd Offense	2 years from the date of conviction	Indefinite period
3 rd Offense	Indefinite period	

Students, staff, or visitors in violation of these rules will be dealt with in compliance with school policy. In addition to imposition of disciplinary sanctions under school policy and procedures up to and possibly including suspension or dismissal from the school for such acts student(s), employee(s), visitors or others may face prosecution under appropriate Federal, State, and local laws. It is unlawful to furnish or provide alcohol to a person under the age of 21.

Under Federal Guidelines, students convicted of drug related offense(s) are required to notify the College of any such conviction and may face disciplinary measures including loss of Federal Financial Aid.

ATA conducts drug prevention programs twice annually including seminars in conjunction with the following: People Resources, National Council on Alcoholism and Drug Abuse, Awareness of Rape-Acquaintance Rape and other forcible and non-forcible sex offense.

State of Oklahoma Sanctions

DUI (Driving Under the Influence) – 47 O.S. § 11-902 Includes Actual Physical Control (APC). It is unlawful and punishable for any person to drive, operate, or be in actual physical control of a motor vehicle within this state, whether upon public roads, highways, streets, turnpikes, other public places or upon any private road, street, alley or lane which provides access to one or more single or multi-family dwellings, who: 1.) Has a blood or breath alcohol concentration, as defined in Section 756 of this title, of eight-hundredths (0.08) or more at the time of a test of such person's blood or breath administered within two (2) hours after the arrest of such person; 2.) Is under the influence of alcohol; 3.) Has any amount of a Schedule I chemical or controlled substance, as defined in Section 2-204 of Title 63 of the Oklahoma Statutes, or one of its metabolites or analogs in the person's blood, saliva, urine or any other bodily fluid at the time of a test of such person's blood, saliva, urine or any other bodily fluid administered within two (2) hours after the arrest of such person; (Marijuana is a Schedule I drug); 4.) Is under the influence of any intoxicating substance other than alcohol which may render such person incapable of safely driving or operating a motor vehicle; or 5.) Is under the combined influence of alcohol and any other intoxicating substance which may render such person incapable of safely driving or operating a motor vehicle.

First offense

First offense (Misdemeanor) - Upon conviction of a first offense DUI, the individual shall participate in an assessment and evaluation and shall follow all recommendations made in the assessment and evaluation. The individual shall also be subject to punishment by confinement in jail for not less than ten (10) days nor more than one (1) year and/or a fine of no more than One thousand dollars (\$1000.00).

Second offense

Second offense (Felony if prior meets requirements for enhancing) - Any person who commits a second offense pursuant to the provisions of this section or has a prior conviction in a municipal criminal court of record for the violation of a municipal ordinance prohibiting the offense provided for in subsection A of this section and within ten (10) years of the date following the completion of the execution of such sentence or deferred judgment commits a second offense pursuant to the provisions of this section shall, upon conviction, be guilty of a felony and shall participate in an assessment and evaluation pursuant to subsection G of this section and shall be sentenced to: a.) follow all recommendations made in the assessment and evaluation for treatment at the defendant's expense, or; b.) placement in the custody of the Department of Corrections for not less than one (1) year and not to exceed five (5) years and a fine of not more than Two Thousand Five Hundred Dollars (\$2,500.00), or; c.) treatment, imprisonment and a fine within the limitations prescribed in subparagraphs a and b of this paragraph. However, if the treatment in this section does not include residential or inpatient treatment for a period of not less than five (5) days, the person shall serve a term of imprisonment of at least five (5) days.

Second Felony offense

Any person who is convicted of a second felony offense pursuant to the provisions of this section or a violation pursuant to the provisions of any law of this state or another state prohibiting the offenses provided for in subsection A of this section, Section 11-904 of this title or paragraph 4 of subsection A of Section 852.1 of Title 21 of the Oklahoma Statutes shall participate in an assessment and evaluation pursuant to subsection G of this section and shall be sentenced to: a.) follow all recommendations made in the assessment and evaluation for treatment at the defendant's expense, two hundred forty (240) hours of community service and use of an ignition interlock device, as provided by subparagraph n of paragraph 1 of subsection A of Section 991a of Title 22 of the Oklahoma Statutes, or; b.) placement in the custody of the Department of Corrections for not less than one (1) year and not to exceed ten (10) years and a fine of not more than Five Thousand Dollars (\$5,000.00), or; c.) treatment, imprisonment and a fine within the limitations prescribed in subparagraphs a and b of this paragraph. However, if the treatment in subsection G of this section does not include residential or inpatient treatment for a period of not less than ten (10) days, the person shall serve a term of imprisonment of at least ten (10) days.

Third or Subsequent Felony DUI Charge

Any person who is convicted of a third or subsequent felony offense pursuant to the provisions of this section or a violation pursuant to the provisions of any law of this state or another state prohibiting the offenses provided for in subsection A of this section, Section 11-904 of this title or paragraph 4 of subsection A of Section 852.1 of Title 21 of the Oklahoma Statutes shall participate in an assessment and evaluation pursuant to subsection G of this section and shall be sentenced to: a.) follow all recommendations made in the assessment and evaluation for treatment at the defendant's expense, followed by not less than one (1) year of supervision and periodic testing at the defendant's expense, four hundred eighty (480) hours of community service, and use of an ignition interlock device, as provided by subparagraph n of paragraph 1 of subsection A of Section 991a of Title 22 of the Oklahoma Statutes, for a minimum of thirty (30) days, or; b.) placement in the custody of the Department of Corrections for not less than one (1) year and not to exceed twenty (20) years and a fine of not more than Five Thousand Dollars (\$5,000.00), or; c.) treatment, imprisonment and a fine within the limitations prescribed in subparagraphs a and b of this paragraph. However, if the person does not undergo residential or inpatient treatment pursuant to subsection G of this section the person shall serve a term of imprisonment of at least ten (10) days.

Federal Penalties and Sanctions for Illegal Possession of a Controlled Substance

21 U.S.C. 844(a) 1st conviction: Up to 1 year imprisonment and fined at least \$1,000 but not more than \$100,000, or both. After 1 prior drug conviction: At least 15 days in prison, not to exceed 2 years and fined at least \$2,500 but not more than \$250,000, or both. Two or more prior drug convictions: At least 90 days in prison, not to exceed 3 years and fined at least \$5,000 but not more than \$250,000 or both. Special sentencing provision for possession of crack cocaine: Mandatory at least 5 years in prison, not to exceed 20 years and fined up to \$250,000, or both, if: (a) 1st conviction and the amount of crack possessed exceed 5 grams. (b) 2nd crack conviction and the amount of crack possessed exceed 3 grams. (c) 3rd or subsequent crack conviction and the amount of crack possessed exceeds 1 gram.

21 U.S.C. 853(a)(2) and 881(a)(7) Forfeiture of personal and real property used to possess or to facilitate possession of a controlled substance if that offense is punishable by more than 1 year imprisonment. (See special sentencing provisions re: crack)

21 U.S.C. 881(a)(4) Forfeiture of vehicles, boats, aircraft or any other conveyance used to transport or conceal a controlled substance.

21 U.S.C. 844a Civil fine of up to \$10,000 (pending adoption of final regulations).

21 U.S.C. 853a Denial of Federal benefits, such as student loans, grants, contracts, and professional and commercial licenses, up to 1 year for first offense, up to 5 years for second and subsequent offenses.

18 U.S.C. 922(g) Ineligible to receive or purchase a firearm.

Miscellaneous Revocation of certain Federal licenses and benefits, e.g., pilot licenses, public housing tenancy, etc., are vested within the authorities of individual Federal agencies. *Additional Federal drug trafficking penalties are listed below. Additional state penalties and sanctions may apply*

Health Risks Associated with the Use of Alcohol and Illicit Drugs

Alcohol: Alcohol consumption causes a number of marked changes in behavior. Even low doses significantly impair the judgment and coordination required to drive a car safely, increasing the likelihood of an accident. Low to moderate doses of alcohol also increase the incidence of a variety of aggressive acts, including spouse and child abuse. Moderate to high doses of alcohol severely alter a person's ability to learn and remember information. Very high doses, or low doses combined with other depressants of the central nervous system, cause respiratory depression and death. Repeated use of alcohol can lead to dependence. Sudden cessation of alcohol intake is likely to produce withdrawal symptoms, including severe anxiety, tremors, hallucinations and convulsions. Alcohol withdrawal can be life threatening. Long-term consumption of large quantities of alcohol, particularly when combined with poor nutrition, may permanently damage vital organs such as the brain and liver. Mothers who drink while pregnant may give birth to infants with fetal alcohol syndrome. These infants have irreversible physical abnormalities and mental retardation. In addition, research indicates that children of alcoholic parents are at greater risk than other youngsters of becoming alcoholics.

Anabolic Steroids: Anabolic steroids are powerful compounds closely related to the male sex hormone testosterone. Developed in the 1930s, steroids may be taken orally or injected. Current legitimate medical uses are limited to certain kinds of anemia, severe burns and some types of breast cancer. When combined with a program of muscle-building exercise and diet, steroids may contribute to increases in body weight and muscular strength. Athletes have used steroids since the 1950s, hoping to enhance performance. Today, many young people use steroids to accelerate physical development. Steroid users may develop more than 70 side effects, ranging in severity from liver cancer and sterility to acne. Psychological effects include very aggressive behavior, known as "roid rage," and depression. While some side effects appear quickly, others, such as heart attacks and strokes, may not show up for years. Signs of steroid use include quick weight and muscle gains; behavioral changes, particularly increased aggressiveness and combativeness; jaundice; purple or red spots on the body; swelling of feet or lower legs; trembling; darkening of the skin; and persistent, unpleasant breath odor.

Cannabis: All forms of cannabis have negative physical and mental effects. Physical effects of cannabis include increase in heart rate, bloodshot eyes, dry mouth and throat, and hunger. Smoking marijuana is damaging to the lungs and respiratory system. The tar in marijuana smoke is carcinogenic. Use of cannabis may impair short-term memory and comprehension, alter sense of time, and reduce ability to perform tasks requiring concentration and coordination, such as driving a car. Knowledge retention may be lower when information is given while a person is "high." Motivation and cognition are altered, making the acquisition of new information difficult. Marijuana can also produce paranoia and psychosis. Long-term users may develop psychological dependence. Marijuana smoke contains more cancer-causing agents than tobacco smoke.

Cocaine: Cocaine stimulates the central nervous system, and long term use can lead to psychological dependence. Its immediate effects include dilated pupils, elevated blood pressure and body temperature, and increased heart rate. Chronic use can cause ulceration of the mucous membrane in the nose. Injecting cocaine with unsterile equipment can transmit AIDS, hepatitis and other infections. Preparation of freebase, which involves the use of highly volatile solvents, can result in fire or explosion. Crack or freebase rock, a concentrated form of cocaine, is extremely potent. Its effects are felt within 10 seconds of administration. The drug produces the same physical effects as cocaine, as well as insomnia, loss of appetite, tactile hallucination, paranoia and seizures. Cocaine use may lead to death through disruption of the brain's control of heart and respiration.

Depressants: The effects of depressants are similar to those of alcohol in many ways. Small amounts can produce calmness and relaxed muscles, but larger doses can cause slurred speech, staggering gait, and altered perception. Very large doses can cause respiratory depression, coma, and death. The combination of depressants and alcohol can increase the effects of the drugs and multiply the risks. The use of depressants can cause both physical and psychological dependence. Regular use may result in tolerance to the drug, leading the user to increase the quantity consumed. When regular users stop taking depressant drugs, they may develop withdrawal symptoms ranging from restlessness, insomnia, and anxiety to convulsions and death. Babies born to women who abuse depressants during pregnancy may be physically dependant on the drugs and show withdrawal symptoms shortly after birth. These children often have birth defects and behavioral problems.

Designer Drugs: Illegal drugs are defined in terms of their chemical formulas. To circumvent these legal restrictions, underground chemists modify the molecular structure of certain illegal drugs to produce analogues known as designer drugs. These drugs can be several times stronger than the drugs they imitate. Many can cause severe neurochemical damage to the brain. The narcotic analogues can cause uncontrollable tremors, drooling, impaired speech, paralysis, and irreversible brain damage. Analogues of amphetamines and methamphetamines cause nausea, blurred vision, chills, or perspiration and faintness. Psychological effects include anxiety, depression, and paranoia. As little as one dose can cause brain damage. The analogues of phencyclidine cause illusions, hallucinations, and impaired perception.

Hallucinogens: Phencyclidine (PCP) interrupts the function of the neocortex, the section of the brain that controls the intellect and keeps instincts in check. Because the drug blocks pain receptors, violent PCP episodes may result in self-inflicted injuries. PCP often causes distance and space estrangement, lack of muscular coordination, and dulled senses. Time and body movement are slowed, and speech is blocked and incoherent.

Chronic users of PCP report memory and speech difficulties. Some of these effects may last a year following prolonged daily use. Mood disorders such as depression, anxiety, and violent behavior also occur. Long-term chronic users may become paranoid and violent and experience hallucinations. Large doses may produce convulsions, coma, or heart and lung failure. Lysergic acid (LSD), mescaline, and psilocybin cause illusions and hallucinations. Physical effects may include dilated pupils, elevated body temperature, increased heart rate and blood pressure, loss of appetite, sleeplessness, and tremors. Sensations and feelings may change rapidly. It is common to have a bad psychological reaction to LSD, mescaline, and psilocybin. The user may experience panic, confusion, suspicion, and anxiety. Delayed effects, or flashbacks, can occur even after use has ceased.

Inhalants: A variety of psychoactive substances have been inhaled as gases or volatile liquids. Many popular commercial preparations such as paint thinners and cleaning fluids are mixtures of volatile substances making it difficult to be specific about their various effects. Immediate negative effects of inhalants may include nausea, sneezing, coughing, nose bleeds, fatigue, lack of coordination, and loss of appetite. Solvents and aerosol sprays may also decrease the heart and respiratory rates and impair judgment. Amyl and butyl nitrate cause rapid pulse, headaches, and involuntary passing of urine and feces. Long-term use may result in hepatitis or brain damage, weight loss, fatigue, electrolyte imbalance, and muscle weakness. Repeated sniffing of concentrated vapors over time can lead to permanent damage of the nervous system.

Narcotics: Narcotics initially produce a feeling of euphoria followed by drowsiness, nausea, and vomiting. Users may experience constricted pupils, watery eyes, and itching. An overdose may produce slow and shallow breathing, clammy skin, convulsions, coma, and death. Tolerance to narcotics develops rapidly and dependence is likely. The use of unsterilized syringes may result in transmission of diseases such as AIDS, endocarditic, and hepatitis. Addiction in pregnant women can lead to premature, stillborn, or addicted infants.

Other Stimulants: Stimulants can cause increased heart and respiratory rates, elevated blood pressure, dilated pupils, and decreased appetite. Users may perspire and experience headaches, blurred vision, dizziness, sleepiness, and anxiety. Extremely high doses can cause rapid or irregular heartbeat, tremors, loss of coordination, and physical collapse. An amphetamine injection creates a sudden increase in blood pressure that can result in stroke, very high fever, or heart failure. Users also report feeling restless, anxious, and moody. Persons who use large amounts of amphetamines over a long period of time can develop an amphetamine psychosis that includes hallucinations, delusions, and paranoia. These symptoms usually disappear when drug use ceases.

Training and Counseling Resources	
One of the goals of our drug-free schools and campuses program is to encourage students to voluntarily seek help with alcohol and/or drug problems. Programs, Counseling, treatment, and rehabilitation services are available through the following resources:	
Mental Health Lifeline	988
12 & 12	1-844-458-2100
Northeastern Oklahoma Council on Alcoholism (NOCA)	1-918-675-4100
Drugfree.org	1-855-378-4373